

PLEASE READ THE LABEL COMPLETELY BEFORE USE

HAZARD CLASSIFICATIONS: 6.3B, 6.4A, 9.1A, 9.2A

WARNING: ECOTOXIC

Harmful. May cause eye and mild skin irritation. Very toxic to aquatic organisms and to some plant species.

PRECAUTIONS

APPROVED HANDLER: This product must be under the control of an approved handler during use.

STORAGE: Keep out of reach of children. Store in the original, tightly closed container, in a secure place. Storage of certain quantities of this product trigger specific storage requirements (Refer to HazNote). When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of product that is older than this.

PERSONAL PROTECTION: Avoid contact with eyes and skin. Avoid inhalation of dust or spray mist. When mixing or applying, wear overalls, boots, gloves and eye protection. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

EQUIPMENT: Apply with well maintained and calibrated spray equipment.

DISPOSAL: Dispose of this product only by using in accordance with this label, or at a suitable landfill, or other approved facility. Dispose of packaging to a suitable landfill. Do not burn. Do not use packaging for any other purpose.

ENVIRONMENTAL: Use this product carefully. Do not contaminate aquatic environments with product, spray drift or packaging. Spray drift or equipment contamination may cause serious damage to desirable plants. Do not allow spray drift outside the target area to occur. Do not use or flush equipment near to desirable plants or their roots. Do not use the same equipment to apply other chemicals to susceptible crops unless thoroughly cleaned and decontaminated.

First Aid

If swallowed do not induce vomiting. If splashed in eyes, wash out immediately with running water for several minutes. If skin or hair contact occurs, remove contaminated clothing and wash with soap and running water. For advice, call the National Poisons Centre **0800 POISON (0800 764 766)** (24 hrs) or a doctor immediately.

Emergency Response

In a transport emergency call **111, Police or Fire Brigade**. For specialist advice in an emergency only, call **0800 CHEMICAL (0800 243 6225)** (24 hrs).

Spillage

Exclude non-essential people from the area. Wear protective clothing and prevent material from entering waterways. If granules have spilt, moisten to prevent dusting and sweep up. If liquid, absorb spill with inert material such as soil, sand, etc. Place in waste container. Wash area with water, and absorb with further inert material. Dispose of safely to a suitable landfill.

Safety Data Sheet

Additional information is provided in the safety data sheet. Freephone 0800 ORIONCP (0800 674 6627) or visit www.orioncp.co.nz.

WARRANTY

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer's control. The manufacturer declines all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P7829

See www.nzfsa.govt.nz/acvm/ for registration conditions.

Approved pursuant to the HSNO Act 1996, No. HSR000236

See www.ermanz.govt.nz for approval conditions.

TMCHORD, SYNERGY and SILMAXX are Trade Marks of Orion Crop Protection Limited

[®]G-FORCE is a Registered Trade Mark of Orion Crop Protection Limited.

Registrant: Orion Crop Protection Limited, Triton Technical Park, Building B, 14 – 22 Triton Drive, North Harbour, Auckland.

Phone: (09) 415 1679. Fax: (09) 414 9731.

Batch No.

Date of manufacture



Net Contents: 500gm

GENERAL INFORMATION

Chord is a selective herbicide for the control of buttercups and docks in pasture and cereals. It can also be used in conjunction with glyphosate for weed control in conservation tillage programmes.

Chord works best in spring when weeds are small and actively growing. Susceptible weeds will stop growing soon after treatment, but damage symptoms may take 2 – 3 weeks to appear.

DIRECTIONS FOR USE

Do NOT spray pasture or cereal crops that are under stress from drought, frost, water saturated soil, disease or insect damage, as crop damage may occur. Crop damage may also occur if these conditions occur after spraying. Do NOT apply to grass or clover seed crops, or hay crops, nor to crops undersown with clover or lucerne.

Crop / Situation	Application Rate	Weeds Controlled	Critical Comments
Pasture	20 g/ha (Broadcast) 1 g / 10 Litres water applied to 500 sq metres (Knapsack)	Buttercups (Annual, Creeping, Giant), Docks	Apply in spring. Apply 1 – 2 weeks after grazing so as to maximise exposure of weed seedlings. For docks, spray when in full leaf, and do NOT spray after seed heads begin to emerge or just after grazing. Follow up treatment may be necessary for well established docks and giant buttercup. NOTE: Yellowing and reduction in vigour usually occurs after application. Recovery, particularly of clovers, may take up to 4 months.
Cereals - Wheat, Barley, Oats	20 g/ha	Buttercups (Annual, Creeping), Cornbind, Docks	Apply after the crop is at the 2 leaf stage, but before the boot stage. Apply with a surfactant such as Synergy Wetter Sticker. Best results are obtained when applied to small actively growing weeds before canopy closure (otherwise weeds may only be suppressed).
Conservation Tillage – Cereals, Forage Brassicas, Lucerne, Maize, New Pasture, Peas, Potatoes, Squash	20 g/ha	Buttercups, Docks	Use in a tank mix with glyphosate eg. Orion Glyphosate 360, G Force® Max plus penetrant eg. Silmax™ or Synergy™ Penetrant before the crop is sown. Plantback Period: Do NOT sow the crop within 14 days of applying Chord. NOTE: Some crops may exhibit symptoms of damage, but this is transient and is unlikely to affect crop yield. The growth of perennial ryegrass may be reduced.

NOTE: Resistant weeds – Dandelion, plantains, ragwort, thistles.

APPLICATION METHODS

Chord can be applied with conventional boom spraying equipment. Apply in a minimum of 60 litres of water per hectare. Crop injury may result from spray overlap. When starting, slowing or stopping, shut off the spray boom.

MIXING

Add the required quantity of Chord to the spray tank partly filled with water, and maintain agitation through filling and spraying. Use Chord mixtures within 24 hours of preparation as product degradation may occur.

COMPATIBILITY

Chord is compatible with most commonly used crop protection products. Note: A reduction in long term control of docks has occurred when using tank mixes with 2,4-D or MCPA.

SPRAY EQUIPMENT DECONTAMINATION

To prevent injury to subsequently sprayed sensitive crops, thoroughly decontaminate spraying equipment immediately after spraying:

1. Drain tank and flush tank, boom and hoses with clean water for at least 10 minutes.
2. Fill tank with clean water and 1 litre chlorine bleach (3% sodium hypochlorite) per 100 litres water. Keep agitation system running while flushing hoses and boom, then drain.
3. Repeat step 2.
4. Remove and clean nozzles, filters and screens separately. Rinse thoroughly with clean water and flush through hoses and boom to remove traces of chlorine.

RAINFALL

Do not spray if rainfall is expected within 4 hours of spraying.

RESISTANT WEEDS

Chord is a member of the sulfonyl urea group of herbicides. Naturally occurring biotypes resistant to sulfonyl urea herbicides are known to exist. These resistant weeds will not be controlled by Chord or other sulfonyl urea herbicides. To delay or prevent the development of resistant weeds, use Chord in tank mixes where appropriate, and or rotate with an effective herbicide of a different mode of action. Orion Crop Protection Limited will not accept any liability for any losses that may result from Chord failing to control resistant weeds, because it is difficult to determine the occurrence of weed resistance prior to use.

WITHHOLDING PERIOD

Do **NOT** graze treated areas for 7 days after application.

PLEASE READ THE LABEL COMPLETELY BEFORE USE

HAZARD CLASSIFICATIONS: 6.3B, 6.4A, 9.1A, 9.2A

WARNING: ECOTOXIC

Harmful. May cause eye and mild skin irritation. Very toxic to aquatic organisms and to some plant species.

PRECAUTIONS

APPROVED HANDLER: This product must be under the control of an approved handler during use.

STORAGE: Keep out of reach of children. Store in the original, tightly closed container, in a secure place. Storage of certain quantities of this product trigger specific storage requirements (Refer to HazNote). When stored appropriately this product should show no significant degradation for two years from the date of manufacture.

Contact your supplier for further information about the use of product that is older than this.

PERSONAL PROTECTION: Avoid contact with eyes and skin. Avoid inhalation of dust or spray mist. When mixing or applying, wear overalls, boots, gloves and eye protection. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

EQUIPMENT: Apply with well maintained and calibrated spray equipment.

DISPOSAL: Dispose of this product only by using in accordance with this label, or at a suitable landfill, or other approved facility. Dispose of packaging to a suitable landfill. Do not burn. Do not use packaging for any other purpose.

ENVIRONMENTAL: Use this product carefully. Do not contaminate aquatic environments with product, spray drift or packaging. Spray drift or equipment contamination may cause serious damage to desirable plants. Do not allow spray drift outside the target area to occur. Do not use or flush equipment near to desirable plants or their roots. Do not use the same equipment to apply other chemicals to susceptible crops unless thoroughly cleaned and decontaminated.

First Aid

If swallowed do not induce vomiting. If splashed in eyes, wash out immediately with running water for several minutes. If skin or hair contact occurs, remove contaminated clothing and wash with soap and running water. For advice, call the National Poisons Centre **0800 POISON (0800 764 766)** (24 hrs) or a doctor immediately.

Emergency Response

In a transport emergency call **111, Police or Fire Brigade**. For specialist advice in an emergency only, call **0800 CHEMICAL (0800 243 6225)** (24 hrs).

Spillage

Exclude non-essential people from the area. Wear protective clothing and prevent material from entering waterways. If granules have spilt, moisten to prevent dusting and sweep up. If liquid, absorb spill with inert material such as soil, sand, etc. Place in waste container. Wash area with water, and absorb with further inert material. Dispose of safely to a suitable landfill.

Safety Data Sheet

Additional information is provided in the safety data sheet. Freephone 0800 ORIONCP (0800 674 6627) or visit www.orioncp.co.nz.

WARRANTY

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer's control. The manufacturer declines all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P7829

See www.nzfsa.govt.nz/acvm/ for registration conditions.

Approved pursuant to the HSNO Act 1996, No. HSR000236

See www.ermanz.govt.nz for approval conditions.

TMCHORD, SYNERGY and SILMAXX are Trade Marks of Orion Crop Protection Limited

[®]G-FORCE is a Registered Trade Mark of Orion Crop Protection Limited.

Registrant: Orion Crop Protection Limited, Triton Technical Park, Building B, 14 – 22 Triton Drive, North Harbour, Auckland.

Phone: (09) 415 1679. Fax: (09) 414 9731.

Batch No.

Date of manufacture



Net Contents: ~~750 KG~~